eurocell











EXCLUSIVE TRADE DEALS AVAILABLE

Ask in branch for more details

aspect charisma syncro dales doors

logik studioglide modus

WINDOWS, DOORS & HARDWARE

PRODUCT RANGE

WINDOW RANGE	4
MODUS WINDOWS	6
LOGIK WINDOWS	8
CHARISMA VERTICAL SLIDERS	10
WINDOW FINISHINGS	13
ROOFLIGHTS	35
DOORS	45
DALES COMPOSITE DOORS	46
ELEGANCE PVC-U DOORS	54
SYNCRO SLIDING PATIO DOORS	60
ASPECT PVC-U BI-FOLD DOORS	62
STUDIOGLIDE ALUMINIUM BI-FOLD DOORS	64
FRENCH DOORS	66
GARAGE DOORS	70
HARDWARE	73











Over 6000 products in branch



200+ branches nationwide



Product experts in every branch



Free surveys & quotations



Click & collect in branch



Free onsite delivery*



*Longer lead times apply to made-to-order items. Applies to mainland UK only and excludes Northern Ireland & Northern Scotland. Minimum order value of £50.





READY TO COLLECT IN BRANCH IN JUST 7-14* WORKING DAYS

IT'S A NO BRAINER!

SAVE TIME & MONEY

When you're buying Eurocell roofline products from your local branch, make sure you pick up your windows too! Whether you're looking for traditional casement windows, fully-engineered vertical sliding sash windows or our advanced tilt and turn windows, they're all in one place – saving you time and money!

MARKET LEADING WINDOWS – IN BRANCH NOW!

You'll find outstanding performance right across the range. With a choice of styles, colours and finishes to suit every building, our innovative windows boast A++ energy ratings and U-values as low as 0.8. In other words, they exceed the latest energy-efficiency standards.

FULLY GUARANTEED

Windows bought from your local branch are covered by a 10 year guarantee.



eurocell

FIND YOUR LOCAL BRANCH AT eurocell.co.uk/branchfinder

"We aim to get these to you within the specified time frame, but there may be instances when this lead time may be extended

4 5

modus



Modus features a clean, contemporary look with slim sightlines and leading thermal performance. Containing 50%* post-consumer recycled UPVC as standard, Modus is our most sustainable profile.

8 Systems in 1:

- Standard sash casement
- Slim rebate sash casement
- Flush sash casement
- Reversible windows
- Tilt and Turn windows
- Entrance doors
- French doors
- Composite door frame

*Average – post-consumer and virgin UPVC % content varies between profiles

Features & Benefits



Outstanding technical performance

BBA certified

system



Fast, accurate fabrication and installation



Superb energy efficiency





sustainability



and style options



12-year guarantee for peace of mind**

Style & Colour Options



WHITE

White interior

WHITE ASH





White interior





ROSEWOOD







ANTHRACITE


GREY* White interior







MOONDUST GREY



ANTEAK









The Logik profile system combines leading energy efficiency performance and aesthetics with ease of use, for the ultimate system.

Available in chamfered, flush or ovolo styles as:

- Standard casement
- Flush casement
- Tilt and Turn
- French windows
- Residential doors
- French doors

Features & Benefits



Outstanding technical performance



and installation

Market-leading

sustainability



Superb energy efficiency performance



Wide range of colour and style options



U-values as low as 0.9*



10-year guarantee for peace of mind



* Lower U-values are achievable with Krypton gas.





Frame colours from stock



WHITE

White interior

BLACK ASH

DARK RED°

White interior



CREAM WHITE[†]

IRISH OAK†

BLUE^{0†}

White interior



WHITE ASH[†]

White interior

IRISH OAK†

OLIVE GREEN®



WHITE ASH[†]

White Ash

interior

GOLDEN OAK

White interior

Chamfered



AGATE GREY

White interior







ANTHRACITE White interior

ROSEWOOD[†]

White interior

ANTHRACITE GREY Grey interior

SLATE GREY**

ROSEWOOD[†] CHARTWELL

32 Additional colours and specifications are made

Note: grey base product features cool colours foil

GOLDEN OAK

Golden Oak





charisma



Offer your customers classically styled traditional windows with all the low-maintenance and thermal efficiency benefits of modern PVC-U.

With traditional styling, slim sightlines and a host of decorative finishing touches, they echo the elegance of the Georgian era. Optional ovolo Georgian bars and ovolo crash stops co-ordinate with the sculpted frames to give a classic cottage look, which is enhanced by decorative horns. Slot-in end caps for Georgian bars and security bars are sculpted to fit flush with the window frame, removing any need for difficult and time-consuming milling. A unique Georgian bar cruciform moulding creates a neat finish at the crossing point of vertical and horizontal bars.

As well as sliding up and down, both sashes in the window also tilt inwards. This innovative slide-and-tilt slide mechanism means that the outer glass panes can be cleaned safely and easily from within the building.











Features & Benefits



Outstanding technical performance

Heritage specification

available



Fast, accurate fabrication and installation

BBA certified

system



Superb energy efficiency



and style options



U-values as



Wide range of colour



10-year guarantee for peace of mind

Frame Colours





* Lower U-values are achievable with Krypton gas.











ROSEWOOD

ROSEWOOD[†]

ANTHRACITE White interior

Additional colours and specifications are made to




— 10 11 —



From cavity closers to trims to window boards, our window finishing range allows you to get the perfect finish – for every job!

- Cavity closers
 Close cavities quickly and effectively with our range of Cavalok closers, whilst improving thermal efficiency for homeowners find out more on page 14
- Intelligent 150mm cill
 The 150mm cill system has the flexibility to create larger sizes (up to 225mm) and accommodate project tolerance discrepancies through the use of various trims find out more on page 20
- Laminated window boards
 These scratch-resistant boards
 add the finishing touch to your
 window installation find out more
 on page 26



cavity closer

A cavity closer is an energyefficient aperture former which enables brick courses to be completed and creates an Air-tight receiver for windows and doors

BENEFITS

- Provides a damp proof course
- Simplifies brickwork no return bricks needed
- Provides thermal break
- Stops cold bridging which can cause condensation to form inside the opening damaging internal decoration and plasterwork
- Improves heat loss at the window junction, reducing CO₂ emissions
- Meets Accredited Construction Details regulation designed to improve the heat loss at junctions
- Meets needs of Part L of the Building Regulations



cavalok

Cavalok products are made from 100% recycled PVC-U

GET A TRADE ACCOUNT TODAY

ASK IN BRANCH FOR MORE DETAILS



over 6000 products in branch



200+ branches nationwide



Trade credit available*



Dedicated account manager



Exclusive trade




Online trade account

WHICH PRODUCT IS RIGHT FOR YOU?

CAVALOK UNIVERSAL CAVITY CLOSER

- For cavity sizes 50-100mm
- Use for new build projects
- Cavity closer is assembled into a window template
- Ensures window manufacturer can produce to correct sizes without repeated surveying
 saving time and money by reducing rework or snagging
- Easy to install, use with standard plastic ties to fix into coursework as you build



CAVALOK BIG BLOK CAVITY CLOSER


- For cavity sizes 125-300mm
- Use for new build projects
- Cavity closer is assembled into a window template
- Super-insulating, specially designed to meet the Code for Sustainable Homes
- Easy to install, use with standard plastic ties to fix into coursework as you build



 $oldsymbol{4}$

^{*} Trade accounts are subject to T&Cs and acceptance

Cavity closer



FRAME FORMING CORNERS

Cavalok corners

50mm	
Code	Qty
CBP CAV 50 MOU	100/box
75mm, 90mm, 100r	nm
Code	Qty
CBP CAV 75 MOU 13	100/box

Big Blok corners


For use on all 125mm - 300mm cavity closers		
Code	Qty	
СВР ВВ МОИ	200/box	



CAVITY CLOSER SECTIONS



- This is a stand alone product no extra components or assembly required! Suitable for applications between 50mm and 100mm
- Qty MCBP TDR 100 HOR 10 pack





125mm closer (insulated)		
Code Size		
MCBP 125 HOR 48 4 x 4.8m		
150mm closer (insulated)		
Code Qty		
MCBP 150 HOR 48	4 pack	




FRAME FORMING **BRACING**



For use with both Cavalok and Big Blok closer

Code	Qty
MCBP CAV BR BOX	60 pack



For use with both Cavalok and Big Blok closer

Code	Qty
CBP BOOT 14	100/box

FRAME INSTALLATION



For use with both Cavalok and Big Blok closer

Code	Qty	
CBP BB TIE	1000/box	

17 —

Overhead vent



Universal head vent Stock/MTO Code EWS137W N/A STOCK EWS137WGY1LF Anthracite Grey LF STOCK EWS137WGY2SLF Smooth Slate Grey LF STOCK **EWS137WROLF** Rosewood LF MTO EWS137WOLF Golden Oak LF MTO EWS137WGY2LF Slate Grey LF MTO EWS137WGY1SLF Smooth Anthracite Grey LF MTO EWS137WYLF Black Ash LF MTO EWS137WT1LF Chartwell Green LF MTO Cream White LF MTO EWS137WCR1LF MTO White Ash BF EWS137WZBF


Designed to be used with frames with a front to back dimension of up to 80mm.

On the inside the vent has a square box detail which allows the head of the reveal to be double boarded without obstructing the ventilation path.

Head vent spacer		
Code	Foil	Qty
VSW105W	N/A	Pack of 50

TRICKLE VENTILATION





GLASS & BRIDGE PACKERS



Bridge packers

Code	Size	Qty
BRP283	100 x 28 x 3mm	1000 pk
BRP325	100 x 32 x 5mm	1000 pk

24mm glass packers

Code	Size	Qty
PP24GP100	Mixed bag	100 pk
FL24F200	1-6mm mixed	200 pk

28mm glass packers

Code	Size	Qty
FLWH28	100 x 28 x 1mm	1000 pk
FLBU28	100 x 28 x 2mm	1000 pk
FLRE28	100 x 28 x 3mm	1000 pk
FLYE28	100 x 28 x 4mm	1000 pk
FLGN28	100 x 28 x 5mm	1000 pk
FLBL28	100 x 28 x 6mm	1000 pk
PP28GP100	Mixed bag	100 pk
FL28FP200	1-6mm mixed	200 pk
FL28FP300	1-6mm mixed	300 pk

30mm glass packers


Code	Size	Qty
FLRE30	100 x 30 x 3mm	1000 pk
FLGN30	100 x 30 x 5mm	1000 pk


32mm glass packers

Code	Size	Qty
FLWH32	100 x 32 x 1mm	1000 pk
FLBU32	100 x 32 x 2mm	1000 pk
FLRE32	100 x 32 x 3mm	1000 pk
FLYE32	100 x 32 x 4mm	1000 pk
FLGN32	100 x 32 x 5mm	1000 pk
FLBL32	100 x 32 x 6mm	1000 pk
FL32FP200	1-6mm mixed	200 pk

· 18

Window cills & accessories







85mm A-type cill and end caps

Cill	End caps
Code	Code
AS 85	ECA 85
Colour options: WGY15S / 7016 / WY / CR / WCR1 / WO / WLO1 / CO / RO / 64 / WZ	Colour options: CO / CR / WG / O / 64



125mm A-type cill and end caps

Cill	End caps
Code	Code
AC125	ECA 125
Colour options: WGY15S / 7016 / CR / WCR1 / 7015 / 64	Colour options: 7016 / B / CO / CR / WCR1 / 7015 / 64



180mm A-type cill and end caps

Cill	End caps
Code	Code
AC180	ECA 180
Colour options:	Colour options:
WY / CR / WO / WLO1 / CO / RO / 64	7016 / BK / B / BB / CO / CR / WCR1 / WG / O / 64



225mm A-type cill and end caps


Cill	End caps
Code	Code
AC 225	ECA 225
Colour options: WGY15S / CR / RO / 7015 / 64 / WZ	Colour options: 7016 / B / CO / RO / 7015 / 64
Colour options: WGY15S / CR / RO / 7015 / 64	Colour options:



-20

Window cills & accessories

COLOUR OPTIONS















B/CO/WG/O/64










— <u>22</u>

Bow window accessories










Cill cover repair				
			Colour	olour
Code	Size	Qty	Base	Foil
EWS119W	5m x 3.7m	5 pack	white	N/A
EWS119WO	5m x 3.7m	5 pack	white	Golden Oak
EWS119WRO	5m x 3.7m	5 pack	white	Rosewood
EWS119WGY1	5m x 3.7m	5 pack	white	Anthracite Grey





Bow canopies

- Quick and easy installation
- One piece leak-proof moulding
- Available with lead-look top
- Made from strong rigid fibreglass
- Maintenance-free

Standard

Code	Size	Qty
BC 18	1.8m	1 pack
BC 24	2.4m	1 pack

Foam filled

WH WHITE

Code	Size	Qty
BC 18 FF	1.8m	1 pack
BC 24 FF	2.4m	1 pack

Bow units

- Quick and easy installation
- Fully moulded GRP base unit including attached gallows bracket
- Made from strong rigid fibreglass giving a firm foundation for a bow window

Standard

O OAK

Code	Size	Qty
BA18 MK1	1.8m	1 pack
BA18 MK1	2.4m	1 pack

Gallows brackets



Code	Size
GB 7.5	7.5"
GB 10	10"
GB 713	2.4m



BR BROWN

-24 25

Window boards

23mm laminated window boards - standard range

9		
Code	Size	Qty
WT150	150mm x 5m	1 pack
WT200	200mm x 5m	1 pack
WT225	225mm x 5m	1 pack
WT250	250mm x 5m	1 pack
WT300	300mm x 5m	1 pack
WT600	600mm x 3m	1 pack
WT900	900mm x 3m	1 pack

Colour options:

WH White / RW Rosewood / GO Golden Oak / LO Light Oak /CR Cream* / WZ White Ash* / GY Anthracite Grey (MTO) (*Except WT 300, WT 150 WT 180)




STANDARD RANGE COLOURS AVAILABLE











23MM LAMINATED WINDOW BOARDS

23mm laminated window boards - designer range

	Code	Size	Qty
V	VT250	4100mm x 250mm	1 board
V	VT600	3000mm x 600mm	1 board
V	VT900	3000mm x 900mm	1 board

More sizes available on made to order



DESIGNER RANGE COLOURS AVAILABLE













23MM LAMINATED TRIM



Foil options:
WH White / ROF Rosewood /
OF Golden Oak / WG Brown /
LO2F Light Oak / CR Cream /
AG Anthracite Grey / LG Light Grey /
MG Medium Grey



Foil options:

WH White / ROF Rosewood /

OF Golden Oak / WG Brown /

LO2F Light Oak / CR Cream /

AG Anthracite Grey / TK Teak /

LG Light Grey / MG Medium Grey




Foil options:
64 White / RW Rosewood / WO Golden
Oak / WG Brown / LO2F Light Oak /
CR Cream / C Caramel / B Brown /
AG Anthracite Grey / LG Light Grey /
MG Medium Grey

- 26

Window boards Info

9MM WINDOW BOARDS




9mm window boards		
Code	Size	Qty
WB160	160mm x 5m	2 pack
WB180	180mm x 5m	2 pack
WB210	210mm x 5m	2 pack
WB240	240mm x 5m	2 pack
WB260	260mm x 5m	2 pack
WB420	420mm x 5m	1 pack
Colour options		

Colour options: 64 White

9MM WINDOW BOARD ACCESSORIES









finishing trims

EXPANDED TRIMS COLOURS RANGE

To enhance the current range of colours, our window trims* will be available in four new foiled finishes. These are: Chartwell Green, Slate Grey, Moondust Grey and Anteak

*Colour availability varies by product



EXAMPLES OF USE



PENCIL ROUND ARCHITRAVE

This flatback pencil-round architrave hides minimal plaster damage, whilst providing an attractive finish. Available in 3 sizes.



25MM D MOULDING

Conceal window joins with a 25mm D-moulding trim to improve sightlines and create a clean, colour-matched finish.



FOAM QUADRANT

Neaten joins with attractive foam quadrants, available in a variety of colours. Suitable for use around windows, floors and more.

Finishing trims



Bead

Code	Size
B20	20mm

Colour options:

64 White, WO Golden Oak, RO Rosewood, WZ White Ash, 7016 Anthracite Grey, WY Black Ash, BW Blue White, WT1 Chartwell Green*, CR1 Cream White*, GY4 Agate Grey*, WG Woodgrain, WG Woodgrain Brown



20mm square

Code	Size
S20	20mm

Colour options:

64 White, WO Golden Oak, RO Rosewood, 7016 Anthracite Grey, GY1S Anthracite Grey Smooth, WY Black Ash, WG Woodgrain



25mm D moulding

Code	Size	
D25	25mm	

Colour options:

64 White, CR Cream, WO Golden Oak, RO Rosewood, WLO1 Irish Oak, WZ White Ash, 7016 Anthracite Grey, GY1S Anthracite Grey Smooth, WY Black Ash, BW Blue White, WT1 Chartwell Green, CR1 Cream White, 7015 Slate Grey, WGY2S Slate Grey Smooth, GY4 Agate Grey, LO10 Anteak, GY17 Balmoral*



Cloaking fillet

Code	Size	
C20	20mm	

Colour options:

64 White, CR Cream, WO Golden Oak, RO Rosewood, WLO1 Irish Oak, WZ White Ash* 7016 Anthracite Grey, GY1S Anthracite Grey Smooth, WY Black Ash, BW Blue White, WT1 Chartwell Green*, CR1 Cream White, GY3 Moondust Grey*, 7015 Slate Grey, WGY2S Slate Grey Smooth, GY4 Agate Grey*, LO10 Anteak*, GY17 Balmoral*

C30	30mm

Colour options:

64 White, RO Rosewood, WLO1 Irish Oak, WZ White Ash*, 7016 Anthracite Grey*, GY1S Anthracite Grey Smooth, WY Black Ash, BW Blue White, WT1 Chartwell Green, CR1 Cream White, GY3 Moondust Grey*, 7015 Slate Grey*, WGY2S Slate Grey Smooth, GY4 Agate Grey*, LO10 Anteak*, GY17 Balmoral*



13 or 17.5mm quadrant

Code	Size
Q13	13mm

Colour options:

64 White, CR Cream, WO Golden Oak, RO Rosewood, WLO1 Irish Oak, WZ White Ash, 7016 Anthracite Grey*, GY1S Anthracite Grey Smooth, WY Black Ash, BW Blue White, WT1 Chartwell Green, CR1 Cream White, 7015 Slate Grey, WGY2S Slate Grey Smooth, GY4 Agate Grey*, LO10 Anteak*, GY17 Balmoral*


ı	Q175	17.5mm

Colour options:

64 White, CR Cream, WO Golden Oak, RO Rosewood, WLO1 Irish Oak, WZ White Ash, 7016 Anthracite Grey*, GY1S Anthracite Grey Smooth, WY Black Ash, BW Blue White, WT1 Chartwell Green, CR1 Cream White, 7015 Slate Grey, WGY2S Slate Grey Smooth, GY4 Agate Grey*, LO10 Anteak*, GY17 Balmoral*



ARCHITRAVES



Ogee architrave Castellated

64 White

Code	Size	Qty
OGEE50	40mm x 5m	10 pack
Colour options:		



PR40	40mm x 5m	10 pack		
Colour options:				
64 White				

Colour options: 64 White PR90 90mm x 5m 10 pack

60mm x 5m

Colour options: 64 White

5m

Code

PR60



Pencil round architrave Flat

Code	Size	Qty
PF45	45mm x 5m	10 pack
PF65	65mm x 5m	10 pack
PF95	95mm x 5m	10 pack

Colour options:

64 White, CR Cream, WO Golden Oak, RO Rosewood, WLO1 Irish Oak, WZ White Ash, 7016 Anthracite Grey, GY1S Anthracite Grey Smooth, WY Black Ash, BW Blue White, WT1 Chartwell Green, CR1 Cream White, GY3 Moondust Grey*, 7015 Slate Grey, WGY2S Slate Grey Smooth, GY4 Agate Grey*, LO10 Anteak*, GY17 Balmoral*

PF125	125mm x 5m	10 pack
-------	------------	---------

Colour options:

64 White, RO Rosewood, 7016 Anthracite Grey, WO Golden Oak, WY Black Ash

COLOUR AVAILABILITY



Golden Oak

WY

Black Ash

WGY2S

Slate Grey Smooth







WLO1

Irish Oak

64

White





WZ

Cream White


GY17

Balmoral

CR

Qty


10 pack





Rosewood





BW

Blue White

GY4


Agate Grey



Chartwell Green

LO10

Anteak




White Ash



7016 **Anthracite Grey Anthracite Grey Smooth**





GY3 **Moondust Grev**




WG WG Woodgrain Brown

* Made to order

— 30

ANGLES



Rigid angles

Code	Size	Qty
RA 2525	25mm x 25mm	20 pack
RA 6060	60mm x 60mm	5 pack
RA 8080	80mm x 80mm	5 pack
RA 1008	100mm x 80mm	5 pack

Colour options:

64 White / RO Rosewood / WO Golden Oak / WGY1 Anthracite Grey (*Except RA6060, RA8080 & RA1008) / WY Black Ash (*Except RA6060, RA8080 & RA1008)

GRA 4040	40mm x 40mm	20 pack
RA 6535	150mm x 35mm	10 pack

Colour options:

64 White / RO Rosewood / WO Golden Oak / WGY1 Anthracite Grey (*Except RA 6535) / WY Black Ash (*Except RA 6535)




3mm thick adjustable angles

Code	Size	Qty
AA 50	50mm x 5m	20 pack
AA 70	70mm x 5m	20 pack
GAA 100	100mm x 5m	15 pack

Colour options:

64 White / WRO Rosewood / WO Golden Oak / WGY1 Anthracite Grey / (*Except AA70 & GAA 100) WY Black Ash (*Except AA70 & GAA 100)



6mm thick hollow angles

Code	Size	Qty
HA 1008	100mm x 80mm	5 pack

Colour options:

64 White / RO Rosewood / WGY1 Anthracite Grey / WY Black Ash


DRAIN SLOT COVERS



Drain slot covers

Code	Colour
900300	White
900301	Brown
900303	Tan
900304	Anthracite grey
900305	Black
900306	Cream
078165SAND	Sand
8165/CG	Chartwell green

COSMETIC REPAIRS



COLOTFILL

COLOUR EDGING PENS

Replace missing colour on window seams, wooden flooring and more

- Unique press action
- Spare tips included
- Suitable for interior and exterior applications
- Original colour edging pen with pump action is also available

Code CEP

WINDOW REPAIR KIT

Successfully repair minor Scratches to windows

- Suitable for repairing minor scratches,dents or bruises to PVC-U and timber windows
- Contains filler for use on Mahogany, Rosewood, Golden Oak and White profile
- Original colour edging pen with pump action also available

Code KO 614

COLOUR FILL & SOLVENT PACK

Effectively repairs laminate and melamine flooring

Code KO 614

Colour options:

64 White / RW Rosewood / WO Golden Oak / O Oak

YOU CAN NOW GET AN INSTANT PRICE FOR YOUR BESPOKE WINDOW IN BRANCH TODAY!

With the launch of our new Frameworks technology, we can provide you with an instant price at your local branch.


Ordering couldn't be easier - just let our branch staff know the window style, size, colour and quantity.

Get your quote today!





- Fakro pivoting roof window Comes with inbuilt TopSafe Anti Burglary system, and Head ventilator as standard.
 P2 Glazing unit with toughened outer pane and laminated inner pane.
- Luma aluminium flat rooflights are made-to-measure and easy to install.
- Rooflights are an ideal way to increase natural light on flat roof properties.
- The Fakro type G product range includes flat roof windows which are non-opening (DXG), manually opening (DMG) or electrically operated (DEG)



Roof windows



FAKRO offer a complete range of premium quality innovative roof window solutions. From pivot roof windows in beautiful designs and clever opening methods, to flat roof windows in various designs and sizes. FAKRO also offer all the accessories needed to fit and furnish roof windows from exterior flashing to blinds.

FAKRO pivoting roof window

Code	Description
PTP-V01	Pivot Roof Window 55cm x 78cm
PTP-V02	Pivot Roof Window 55cm x 98cm
PTP-V05	Pivot Roof Window 78cm x 98cm
ELV01	Slate Flashing 55cm x 78cm
ELV02	Slate Flashing 55cm x 98cm
ELV05	Slate Flashing 78cm x 98cm
EZV01	Tile Flashing 55cm x 78cm
EZV02	Tile Flashing 55cm x 98cm
EZV05	Tile Flashing 78cm x 98cm

A full range of compatible blinds and screens are available to order

ASK IN



WHAT'S ON OFFER?

UPVC Pitched Roof Windows



UPVC Centre Pivot Roof Window (PTP-V)

- · Pivots from the centre when opened.
- · Pure White PVC finish as standard.
- · topSafe anti-burglary system as standard.
- · V35 Air Inlet for ventilation.
- · 10 Year warranty.
- · Option of Golden Oak & Pine Veneer.



UPVC Top Hung & Centre Pivot Roof Window (PPP-V)

- · Pivots from top or centre when opened (preSelect dual function)
- · Pure White PVC finish. topSafe anti-burglary system as standard.
- · V35 Air Inlet for ventilation.
- · 10 Year warranty.
- · Option of Golden Oak & Pine Veneer.



UPVC Electrically Opening Roof Window (PTP-V Z-Wave)

- · Pivots from the centre when opened.
- · Electrically operated.
- · Pure White PVC finish.
- · topSafe anti-burglary system as standard.
- · V35 Air Inlet for ventilation.
- · 10 Year warranty.
- · Option of Golden Oak & Pine Veneer.



Conservation

- · Conservation options available across our entire UPVC range.
- · Conservation windows are designed for use in conservation areas which are worthy of preservation due to historical interest.
- · The main difference is they're finished in Jet Black & have a glazing bar fitted.

Internal & External Accessories

We have a full range of internal and external accessories available Please see some of our most popular choices.



ARZ Shutter







AJP Venetian Blind ARF Blackout Blind XDK - Insulation Set

Flashing Kits for Pitched Roof Windows



EPV Plain Tile Flashing Kit Suitable for non-interlocking plain tiles up to 16mm in profile on roof pitches between 25-90 degrees.



ELV Slate Tile Flashing Kit Suitable for non-interlocking slate tiles up to 8mm in profile on roof pitches between 15-90 degrees.



EZV-A Interlocking Tile Flashing Kit Suitable for interlocking tiles up to 45mm in profile on roof pitches between 15-90 degrees.




EHN-A Interlocking Tile Flashing Kit

Suitable for interlocking tiles up to 120mm in profile on roof pitches between 15-90 degrees.

Flat Roof Windows

We also have a fantastic range of flat roof windows available.

- · Available in fixed-shut, manually opening & electrically opening.
- · Suitable for roof pitches between 2 15 degrees.
- · Joining gutters available on request.
- · Hinges located on the short side of the window.



DXG





DMG

DEG

— 36



Thermally broken and glazing options for excellent energy efficiency

Luma's aluminium frame has an integrated thermal break, which reduces heat transfer. And it's available in double-glazed and triple-glazed options, with U-values of 1.3 W/m²K for double and 0.92 W/m²K for triple-glazed. So, you'll stay cool in summer and warm in winter and save money on energy bills.

1. Tinted laminated glass options

Luma is available with either neutral or blue tinted glass. Tinted glass still allows the light to flood in but reduces uncomfortable glare when the sun hits the glass.

2. Secured from the inside

Exclusive to Luma

The only flat rooflight which is fixed from the inside for added security.

3. Slimline modern profile with sleek seamless glazing

Exclusive to Luma

Luma's sleek aluminium frame and unique glazing tape mean there are no chunky frames or painted borders. And there are no bars across the glass to impede your view either. The inside is beautifully finished with a PVC plasterboard trim. The result is minimal framework and maximum daylight.

Integral drainage system

Exclusive to Luma

The outer frame includes a unique drainage system that allows moisture to drain away outside for added reassurance.

High performance self-cleaning glass

Luma features self-cleaning glass. It has a special coating that uses UV rays to break down organic matter on the surface, which then washes away when it rains. So, the glass stays cleaner for longer, and the need for regular washing is significantly reduced.

luma



Here at Eurocell, we believe you should never have to compromise on quality or performance when you make improvements to your home. That's why innovation is at the heart of our Luma flat rooflights. We've built-in exclusive, market-leading features that come as standard to bring you a premium-quality product that performs excellently.









Future Homes Ready

Building Regulations are changing. In 2025 a new Future Homes Standard will be introduced, which requires all new homes to be future-proofed with lowcarbon heating and world-leading levels of energy efficiency. So, we've designed Luma flat rooflights to be Building Regulations compliant. Not just for now but for the future too.

ARE YOU AN **INSTALLER?**

Easy to install and delivered straight to site

Luma flat rooflights are made to order in our factory, then delivered straight to site. They're easy to install, helping you complete the job quickly, with no fuss and no mess.

2-5° installation pitch

Flexible installation options to minimise pooling of water.4

Made-to-measure

Can be sized from 500 x 500mm

up to 1400 x 3000mm.1 Ask us for a quote.

Our service promise to you

We know how important it is to you to keep your customers happy. That's why we take great pride in consistently providing a friendly, approachable service to make finding and getting what you and your customers need quick and easy. Here's how we help:



under 1 hour

There's no waiting around. Just call, drop us an email or fill in the contact form on our website to request a quote, and the right time. we'll respond within an hour.5



Lead times to suit you

Tell us when you need the products to be on site, and we'll ensure they're there at



<u>=(ᠬᠬ)</u><u>=</u> Order checking

Our orders are thoroughly checked prior to delivery, allowing you to get on with



Technical support line

Luma flat rooflights are easy to install, but if you need help, our expert technical team are installing Luma right away. just a phone call away.

To find out more, ask our experts at your local Eurocell branch. Alternatively, simply call us on **0333 005 6525**, email us at **enquiries@eurocell.co.uk** or visit:

eurocell.co.uk/luma

— 40

Rooflights

· Rooflights are an ideal way to increase natural light on flat roof properties.


- This product range offers high security and exceptional energy efficiency - with u-values as low as 1.8!
- The domed design offers great aesthetics, meaning they are desirable additions for residential and commercial applications.

OTHER **DESIGNS**

GLAZING OPTIONS



- High light transmission
- Allows unimpeded views



- High light transmission
- Allows unimpeded views



- Maximises privacy
- Diffuses light to avoid sun glare



- Reduces solar heat gain
- Reduced light-transmission

Choice of ventilation options - ask a member of staff at your local Eurocell branch today!

GET A TRADE ACCOUNT TODAY

ASK IN BRANCH FOR MORE DETAILS



over 6000 products in branch



200+ branches nationwide



Trade credit available*



Dedicated account manager



Exclusive trade account pricing



account

Flat roof windows

Fakro flat roof window

- The Fakro type G product range includes flat roof windows The Fakro type G product range includes flat roof windows which are non-opening (DXG), manually opening (DMG) or electrically operated (DEG). Fakro flat roof products bring the very highest standard of natural light to interiors. They also provide ventilation and offer exceptional functionality. In short, they can transform any room under a flat roof.
 The new range of technologically advanced G windows give smart aesthetics and provide an alternative solution for bringing natural daylight into rooms below a flat roof.
 Integral unstand for quick and pasy installation.

DEG

- Integral upstand for quick and easy installation.
 P2 safety glazing







- Electrically opened with wireless Z-Wave system,
- Included in the kit: AC adaptor, remote control, rain sensor
- Sash tilts 15cm

Code	Size
FRW80EX01	01K 60x60
FRW80EX02	02K 60x90
FRW80EX03	03K 70x70
FRW80EX04	04K 80x80
FRW80EX05	05K 90x90
FRW80EX06	06K 90x120
FRW80EX07	07K 100x100
FRW80EX08	08K 120x120
FRW80EX09	09K 140x140
FRW80EX10	10K 100x150
FRW80EX11	11K 120x200



Manual opening

- Opened manually by means of ZSD control rod 2.2m long
- Sash tilts 30cm

Code	Size
FRW80EW01	01K 60x60
FRW80EW02	02K 60x90
FRW80EW03	03K 70x70
FRW80EW04	04K 80x80
FRW80EW05	05K 90x90
FRW80EW06	06K 90x120
FRW80EW07	07K 100x100
FRW80EW08	08K 120x120
FRW80EW09	09K 140x140
FRW80EW10	10K 100x150
FRW80EW11	11K 120x200



None opening

Non-opening

Code	Size
FRW80EU01	01K 60x60
FRW80EU02	02K 60x90
FRW80EU03	03K 70x70
FRW80EU04	04K 80x80
FRW80EU05	05K 90x90
FRW80EU06	06K 90x120
FRW80EU07	07K 100x100
FRW80EU08	08K 120x120
FRW80EU09	09K 140x140
FRW80EU10	10K 100x150
FRW80EU11	11K 120x200

43 —

^{*} Trade accounts are subject to T&Cs and acceptance



Dales Doors

Our collection of composite doors is better than ever with 22 styles available in classic, period and contemporary designs.

PVC-U Bi-fold doors
 Why not open yourself up to

Why not open yourself up to a new business opportunity? Aspect are a hit with customers - so why not start installing them today.

- Aluminium bi-fold doors
 Studioglide isn't just a winning
 combination of high performance and
 thermal efficiency. Quality materials
 and advanced design make for a
 smooth, reliable sliding mechanism
 and frames that won't expand or
 contract, whatever extremes the
 weather throws at them.
- Syncro sliding patio doors A slim and attractive patio door a perfect addition to your offering.



Syncro sliding patio doors

Dales Doors offer a superb range of colours and styles to meet your customers' needs.

With Eurocell's composite doors, worries about unwanted intruders disappear. PVC-U edge banding comes as standard. A five-point locking system paired with a one-star cylinder with a two-star handle (delivering a three-star solution) reinforces its security credentials. Plus, choose to have our composite doors Secured by Design, which are above 'Police Preferred Specification' in independent tests.

Use our door configurator to design your door.

How to design

Creating your new door is simple. The first step is to choose a door that fits your style. Then pick your perfect colour, add glazing if required, and then add your finishing touches. The following pages take your through all the options available to create your perfect door.



DESIGN YOUR DOOR AT:

designyourdoor.co.uk







Step Ohe Choose your door

CLASSIC STYLE















CHATSWORTH

BRADBOURNE

BRASSINGTON

ELTON

HATHERSAGE

MILLDALE







WINSTER

PERIOD STYLE



BRETTON



THORPE



HARTINGTON



LITTON







CONTEMPORARY STYLE











CHELMORTON NEWHAVEN WIRKSWORTH

BIRCHOVER

BUXTON

Step 6 Choose your colour

All doors come with White internal colour as standard. However you can choose to have colour on both sides if that's your style choice.

STANDARD COLOURS










PREMIUM COLOURS






Step three Choose your frame colour

Frames can be coloured both sides on request and can also be sprayed in any classic RAL colour with either a smooth or foiled finish.



^{*} The foiled Black Ash/Brown frame may appear lighter than the black door in direct sunlight



Power Choose your glass

Beauty that shines through

You can choose from bold half-glazing, through to contemporary arches and traditional glazing infused with decorative picture art. From traditional designs to abstract geometric shapes and colourful glass options, we're sure to have a design for you. Our wide range of glazing options enables you to add the finishing touch to your door and complement your home. All of our glass designs are made using the highest quality materials, so glass colours will remain bright and vibrant for years to come. Manufactured using traditional techniques and finished by hand, our glass options offer the best possible finish.

Triple-glazed units

We offer an extensive range of triple-glazed glass in many stunning designs including some Gold and Silver lead options. Constructed using hand-cut bevels and textured glass pieces, triple-glazed units are beautiful additions to any door design. What's more, they offer excellent thermal and sound insulation properties, as well as providing extra security thanks to the additional strength.

GLAZING OPTIONS



If you choose a door that doesn't require a top or sidelight, we'll deliver it within 5-10 days. This includes doors with triple glazed units. All glass units have clear glass on the outside with your choice of backing glass in the centre as shown in the diagram below. Backing glass options are not available on triple glazed units.

Glass configuration



Creating mivacy

Many of our glass designs can be specified with different backing glass as well as clear, offering varying levels of obscurity. Choosing the right backing glass can help increase the level of privacy your door offers, as well as match glass elsewhere in your property.


BACKING GLASS OPTIONS



© Images reproduced by permission of Pilkington plc



Glacier













Diamond

Classic

Silvaner[†]

Bevel

Diamond[†]

Available in Clear,

Red. Blue. Green

and Black

14 choices of

Dorchester

Mene

0

Gavalas†

Diamond[†]

Available in Clear.

Red, Blue, Green

and Black.

Satin[†]

Sunburst Glazing Frame[†]

Available in Red, Blue,

Green and Black.

Mosel[†]









Black insert).


Havana







Simplicity Silver







Satin





Not all glazing options are available on all doors. please ask in branch for more detail.

Triple Glazing











Step Choose your finishing touches

//HANDLES AND BARS



//LETTERBOX



//HINGES



//LOCK



//KNOCKERS



//OTHER OPTIONS



//CILL OPTIONS

If required:	Size	Length	Size	Length
Available in White, Oak,	85mm	1100mm	150mm	2100mm
Rosewood, Anthracite Grey, Slate Grey and Black Ash.	85mm	2100mm	180mm	1100mm
	150mm	1100mm	180mm	2100mm
Please note: If a cill option is chosen a metal Part M compliant threshold will be supplied.				

Note: All Chrome, Gold and Satin Silver handles, knockers and letterboxes are stainless steel.

//FRAME EXTENSIONS

f required:	Size	Length
White, Oak, Rosewood,	15mm	1100mm
Anthracite Grey and Slate Grey.	15mm	2100mm
	25mm	1100mm
	25mm	2100mm
	50mm	1100mm
	50mm	2100mm

Don't forget to complete the look

COMPOSITE SIDELIGHTS


For homes with larger openings, we offer a range of sidelight options to complement your door.





52 5

the elegance collection









Victorian

Windsor

Georgian





Edwardian



Regency

DOOR PANEL AND FRAME COLOURS (ALL WHITE INSIDE FOR BOTH)












PVC-U Doors - glass & hardware

GLAZING STYLES AVAILABLE

may vary with door style



STAINLESS STEEL FURNITURE























NUMBERS AND LETTERS (A-D ONLY)

SPYHOLES

















GET A TRADE ACCOUNT TODAY AND GET A WHOLE LOT MORE.











200+ branches nationwide



account



Trade credit available³



Dedicated account manager

SIGN UP TODAY. ASK IN BRANCH TODAY FOR MORE DETAILS.







Click & collect in branch



Free onsite delivery**





The ripley



Flat top, lead-look canopy with scalloped edge and Georgian period detailing will add prestige to any property

Code	Size
RIP 1500	1500mm
Colour options: WH White	

The cheltenham



This strong, rigid GRP dual pitch canopy with tile effect roof and imitation woodgrain detailing is available with 3 design options on the gable

Code	Style
CHELT 730	730mm std
CHELT 730F	730mm fleur
CHELT 730T	730mm t-bar
Colour options:	

WH White

The rockingham



Elegant Victorian style GRP door canopy incorporating fully moulded brackets offers a period look for your customers

Code	Style
ROC B	With brackets
ROB WB	No brackets
ROC CL	Lead-top effect
Colour options: WH White	


THE VICTORIAN




Add prestige to entrance doors

Code	Colours
VTPS	WH White

FREESTANDING COLUMNS





THE GEORGIAN



This regal design will enhance any doorway

Code	Colours
G TPS	WH White

The finishing touch to entrance doors

3	
Code	Style
FP	Flat pillar
COLPL	Plain column
RCOLFLU	Fluted column
Colour options: WH White	

— 58

syncro



Say hello to Syncro sliding patio doors. Relax in understated style with Syncro. The soft-close feature keeps noise to a minimum. Triple glazing and PAS24 security standards ensure maximum performance. And with each frame made from at least 40% post-consumer waste (PCW), and a grey substrate available for those chasing the modern look, there's no reason to hold back.

Close to perfection in the patio door market Syncro is available to PAS24 standards, which means you can meet Document Q - the newest security regulations for patio doors. Plus, its improved strength, security and weather performance mean it also satisfies BS6375 as standard. But that's just for starters.

- More sustainable with frame composition made up of at least 40% PCW (post-consumer waste)
- Better thermal efficiency with U-values as low as 1.3 for double glazed units and 1.0 for triple glazed

- Maximum width of 3.5m (2 pane) and a maximum sash width of 1750mm
- Triple as well as double glazing compatible for even better insulation
- Grey substrate for total coordination with modern designs
- Soft close option

Features & Benefits





Triple glazing

compatible





Soft-close option



Delivery from

6 working days

U-values as

low as 1.0*

10-year guarantee for peace of mind**

style options including grey substrate option

Wide range of colour and

Colours from Stock



WHITE

White interior



White interior





GOLDEN OAK



ROSEWOOD





ANTHRACITE

White interior





Both sides SMOOTH Grey base Grey base

Made to Order



ANTHRACITE

GREY MATT

Grey base

32 Additional colours and specifications are made to order on extended lead times

Note: grey base product features cool colours foil

Handle Colours







HARDEX GRAPHITE

aspect



With modern, sleek elegance, panoramic doors are an increasingly popular addition to the latest home and commercial projects, creating a large opening with a low threshold for easy access that makes a stunning difference

Aspect is a high-performance, secure and visually stunning UPVC panoramic door system that's designed for hassle-free fabrication and fitting, whether selecting bi-fold, entrance or flush French doors. Aspect offers all the aesthetic and functional benefits of timber and aluminium alternatives, but at a more affordable price. It incorporates a host of intelligently designed and precision-engineered bespoke components that enable accurate, consistent, straightforward fabrications and installation.

Fully accredited

Eurocell pushes the boundaries of design and performance in the panoramic door category. Our Aspect bi-fold was the first of a few bi-fold doors on the UK market to gain BBA accreditation and Secured by Design status.

Meeting these two important standards means that Aspect bi-fold doors are perfect for all new build applications where SBD is being specified to meet the requirements of Approved Document Q.

Features & Benefits





and timber alternatives



Patented features



U-values as low as 1.0*



10-year guarantee for peace of mind

Frame Colours

BBA certified

and Secured By

Design approved

* Lower U-values are achievable with Krypton gas.







ANTHRACITE

GREY

Both sides

WHITE ASH

BLACK ASH















Additional colours and specifications are made to order on extended lead times

Hardware Colours



ANTHRACITE

GREY

White interior







SATIN SILVER



SILVER GREY



BRIGHT

— 62

studioglide




Studioglide is our aluminium bi-folding door system with improved narrow sight lines, increased door sizes and slimmer profiles. With so many options and configurations to choose from, Studioglide offers high performance combined with contemporary styling that is perfect for any project, large or small.

Studioglide isn't just a winning combination of high performance and thermal efficiency. Quality materials and advanced design make for a smooth, reliable sliding mechanism and frames that won't expand or contract, whatever extremes the weather throws at them.

Temperatures indoors are kept comfortable too, with a thermal break in the frame that reduces heat loss and high-spec energy efficient glass to reduce energy bills even further.

Features & Benefits



in-line system

Standard Frame Colours





of any property * White profiles only





Duo Colour Option



White Interior

Hardware Colours











Studioglide frames are available in a range of classic colours, complemented by shootbolt and door handles in a wide choice of colours and finishes.


U-values as

Flush French doors





Ovolo (Sculptured)



Chamfered (Straight edge)



Flush Sash (Square)

Stylish versatility

Flexible and sophisticated, Lifestyle French doors are available in a range of sizes up to 2 metres wide, providing an impressive entrance to your garden. A tasteful choice of colours allows your doors to complement your home or conservatory. Whether you are looking for classic White or elegant Cream, or if you prefer the natural appearance of Rosewood or Golden Oak, we have a style that's right for you.

Individual design

A choice of frame styles – Chamfered or Ovolo and a choice of opening options mean you can tailor the finish of your French doors to your individual taste. Inward opening allows you to make the most of your patio space or you can maximise your indoor areas with an outward opening mechanism.



6

Colour options

aspect BI-FOLD DOORS / FLUSH FRENCH DOORS





WHITE ASH Both sides



IRISH OAK White interior

















HARDWARE COLOURS



BLACK





SILVER GREY





studioglide ALUMINIUM BI-FOLD DOORS













HARDWARE COLOURS







† Ovolo only * Chamfered only * MTO Note: Anthracite Grey with Grey base features cool colours foil

logik FRENCH DOORS

































HARDWARE COLOURS













† Ovolo only * Chamfered only
Note: Anthracite Grey with Grey base features cool colours foil

SYNCTO PATIO DOORS



























HARDWARE COLOURS





Garage doors











GARADOR GARAGE DOORS



Carlton

- Steel Up & Over Door.
- Low maintenance.
- Choice of 19 colours.



Horizon

- Steel Up & Over Door.
- Low maintenance.
- Choice of 19 colours.



Windsor

- Steel Up & Over Door.
- Low maintenance.
- Choice of 19 colours.



Choose from 19 colours



- Steel Up & Over Door.
- Brushed steel handle.

Design 210


• Plus, Anthracite Grey colour option.



- Steel Up & Over Door.
- Perfect for modern & traditional homes.
- Choice of 19 colours.



- Steel Up & Over Door.
- Low maintenance.
- · Canopy or track gear.
- Choice of 19 colours.



Beaumont

GARADOR

Automate your garage door



Kingsbury

- Timber Up & Over Door.
- Constructed from solid red cedar.
- Choice of 6 stain options



Vertical Cedar


- Timber Up & Over Door.
- Constructed from solid red cedar.
- Choice of 6 stain options



- Sectional Door.
- Full drive through width and height.
- 42mm thick insulated design.



— 70



 Eurocell offers a wide selection of Door Hardware, Window Hardware, Additional Security, Architectural Ironmongery and Tools for repair and maintenance.



Info

THE KEY TO HASSLE-FREE LOCK REPLACEMENT IS IN YOUR HANDS




Don't let your customers fall victim to insurance company small print


- QUICK AND EASY REPLACEMENT
- **INSURANCE RECOGNISED**
- BS EN 1303 LEVEL











3 SEPARATE LINES OF DEFENCE

IN STOCK AT YOUR LOCAL BRANCH



DETERS THE MOST DETERMINED ATTACK!

It's a fact that more insurance companies are now specifying that high performance locks such as the Schlosser Cylinder are fitted before paying out claims. Just look at the great built-in security features opposite:

II ANTI-DRILL PROTECTION

Nickel plated hardened steel key pins and driver pins, gives the anti-drill feature we wanted to incorporate.

2 HARDENED GRIP DEFLECTORS

Make gripping the rest of the cylinder difficult.

3 HARDENED REINFORCED BAR

This is designed not to snap, but to flex in a way that will defeat the majority of intruders.

REPLACEMENT CYLINDER LOCKS

For budget-conscious customers, there is the Euro Profile Cylinder. Available with single cylinder, double cylinder and turn cylinder

- 1 6-pin Euro profile cylinder
- 2 Quick and easy replacement for existing cylinder
- 3 Tested to BS EN 1303:2005
- 4 Available in polished brass and nickel

EURO PROFILE CYLINDER



Schlosser EURO CYLINDERS

STANDARD SECURITY



DRILL PROTECTION AS STANDARD!

- **3 KEYS □ DUAL FINISH □ NON-HANDED**
- BS EN1303 STANDARD
- VERTICAL KEY
- DRILL SAFE PROTECTION

3 STAR SECURITY



- **◎** 5 BIO KEYS **◎** DUAL FINISH **◎** NON-HANDED
- BRITISH STANDARD 3 STAR
- SECURED BY DESIGN APPROVED
- PATENTED PIN DESIGN

SCHLOSSER TECHNIK ANTI-PICK AND ANTI-DRILL EURO CYLINDER

Don't let your customers fall victim to insurance company small print – choose insurance-backed Schlosser replacement locks – in branch now!

3 STAR SECURITY CYLINDER LOCKS







- 5 keys
- Dual finish
- Non-handed
- British Standard 3 star

- Secured By Design Approved
- Patented Pin System

Anti-drill, anti-pick and anti-tamper

- Snap safe
- 3* Kitemark



Cylinder Gauge
Cylinder Gauge Measuring Tool in Plastic
Code
ST-CYL-GAUGE

Schlosser Technik 3* Key to Key Euro Cylinder		
Tested to BS EN 1303 and supplied with 3 keys		
Code	Size	
ST-KIN35/35D-K4	35/35	
ST-KIN45/55D-K4	45/45	
ST-KIN55/45D-K4	45/55	
ST-KIN45EX/50D-K4	45EX/50	
ST-KIN50/50D-K4	50/50	

Schlosser Technik 3* Key to	Turn Euro Cylinder
Dual Finish - EN 1303 - 3 Keys	
Code	Size
ST-KIN45/45D-K4	35T/35

STANDARD CYLINDER LOCK



Schlosser Technik Key to Key Euro Cylinder

35/35 Euro Cylinder

35/45 Euro Cylinder

40/40 Euro Cylinder

40/45 Euro Cylinder

40/50 Euro Cylinder

40/55 Euro Cylinder

40/60 Euro Cylinder

45/45 Euro Cylinder

45/50 Euro Cylinder

45/55 Euro Cylinder

50/50 Euro Cylinder

Tested to BS EN 1303 and supplied with 3 keys

Code

UE63535D

UE63545D

UE64040D

UE64045D

UE64050D

UE64055D

UE64060D

UE64545D

UE64550D


UE64555D

UE65050D





Schlosser Technik Key to Turn Euro Cylinder	
Dual Finish - EN 1303 - 3 Keys	
Code	Size
UE635T35D	35T/35 Euro Cylinder
UE640T40D	40T/40 Euro Cylinder
UE650T50D	50T/50 Euro Cylinder




SCHLOSSER TECHNIK SNAP-SAFE, ANTI-PICK AND ANTI-DRILL EURO CYLINDER

Don't let your customers fall victim to insurance company small print – choose insurance-backed Schlosser replacement locks – in-branch now!

— 76 77 —

Hardware












ST-DH243








Schlosser sprung

door handle

Letterplate with BLACK ABS frame		
Code	Style	
ST-DMB1048	Aluminium 10"	
ST-DMB1248	Aluminium 12"	
Colour options: Options: PG Gold, PS Silver, WH White		

— 78 79 —

Hardware




Code

ST-V6MPSS-NANOCOAS

ST-V6PVDG-NANOCOAS

Colour options: MPSS, PVD Gold








Code ST-SJWHITE

Colour options: BR Brown, WH White





Chrome

White







Right hand

Right hand

Colour options: GO Gold, SH Chrome, WH White

ST-WCH1801PR

Suitable to fit either 13mm or 17mm applications

Code	Style	Colour
ST-WFS5200	Top Hung Friction Stay	13mm x 8"
ST-WFS5201	Top Hung Friction Stay	13mm x 10"
ST-WFS5202	Top Hung Friction Stay	13mm x 12"
ST-WFS5203	Top & Side Hung Stay	13mm x 16"
ST-WFS5204	Top Hung Friction Stay	13mm x 20"
ST-WFS5205	Top Hung Friction Stay	13mm x 24"
ST-WFS5240	Egress Friction Stay with	10.3" x 13mm
ST-WFS5241	Egress Friction Stay with	16" x 13mm

Window espag handle (43mm)



ST-WEH5440-40SP	In-Line locking
Colour ontions: GO	Gold CH Chrome

Style

Code

WH White

Hardware

Concealed window restrictor 11.5mm



Code	Style
ST-WR5160LSIKIT-11.5	Left Hung with Stud Plate
ST-WR5160RSIKIT-11.5	Right Hung with Stud Plate

MINI cable restrictor 200mm Code Style ST-WR7210 Colour options: BR Brown, WH White

GET A TRADE ACCOUNT TODAY

ASK IN BRANCH FOR MORE DETAILS



over 6000 products in branch



200+ branches nationwide



Trade credit available*



Dedicated account manager



Exclusive trade account pricing



Online trade account



DESIGNED BY XPERTS. FOR EXPERTS.



















^{*} Trade accounts are subject to T&Cs and acceptance

eurocell



1974 - 2024



SHOP ONLINE eurocell.co.uk/shop



CALL US 08000 77 88 88



IN BRANCH eurocell.co.uk/branch-finder

eurocell.co.uk

FOLLOW US ONLINE:















